

References

- Agin, G. J. and Binford, T. O. (1973). Computer description of curved objects. In *Proceedings of the 3rd International Joint Conference on Artificial Intelligence (IJCAI)*, pages 629–640. IJCAI.
- Bajaj, C. L. and Ihm, I. (1992). Smoothing polyhedra using implicit algebraic splines. *Computer Graphics (Proceedings SIGGRAPH'92)*, 26(2):79–88.
- Baker, H. H. (1988). Building, visualizing, and computing on surfaces of evolution. *IEEE Computer Graphics and Applications*, 8(4):31–41.
- Baraff, D. (1991). Rigid body concepts. In *SIGGRAPH '91 Course notes #23: An Introduction to Physically Based Modeling*. SIGGRAPH.
- Barr, A. H. (1981). Superquadrics and angle preserving transformations. *IEEE Computer Graphics and Applications*, 1(1):11–23.
- Barr, A. H. (1984). Global and local deformations of solid primitives. *Computer Graphics (SIGGRAPH'84)*, 18(3):21–30.
- Bartels, R. H. and Beatty, J. C. (1989). A technique for the direct manipulation of spline curves. In *Graphics Interface '89*, pages 33–39.
- Bartels, R. H., Beatty, J. C., and Barsky, B. A. (1987). *An Introduction to Splines for use in Computer Graphics and Geometric Modeling*. Morgan Kaufmann Publishers, Los Altos, California.
- Barton, A. (1974). *The Dynamic Liquid State*. Longman Group Limited, New York.
- Blinn, J. F. (1982). A generalization of algebraic surface drawing. *ACM Transactions on Graphics*, 1(3):235–256.
- Bloomenthal, J. (1988). Polygonization of implicit surfaces. *Computer Aided Geometric Design*, 5(4):341–355.
- Bloomenthal, J. (1989). Techniques for implicit modeling. Technical Report P89-00106, Xerox PARC.
- Boissonnat, J. D. (1984). Representing 2D and 3D shapes with the Delaunay triangulation. In *Seventh International Conference on Pattern Recognition (ICPR'84)*, pages 745–748, Montreal, Canada.
- Boult, T. E. and Kender, J. R. (1986). Visual surface reconstruction using sparse depth data. In *IEEE Computer Society Conference on Computer Vision and Pattern Recognition (CVPR'86)*, pages 68–76, Miami Beach, Florida.
- Breen, D., House, D., and Getto, P. (1991). A particle-based computational model of cloth draping. In *Scientific Visualization of Physical Phenomena (Proceedings of Computer Graphics International '91)*, pages 113–134. Springer-Verlag.

- Breen, D. E., House, D. H., and Wozny, M. J. (1994). Predicting the drape of woven cloth using interacting particles. *Computer Graphics (Proceedings SIGGRAPH'94)*, 28(3):365–372.
- Carlbom, I., Hsu, W. M., Klinker, G., Szeliski, R., Waters, K., Doyle, M., Gettys, J., Harris, K. M., Levergood, T. M., Palmer, R., Palmer, L., Picart, M., Terzopoulos, D., Tonnesen, D., Vannier, M., and Wallace, G. (1992). Modeling and analysis of empirical data in collaborative environments. *Communications of the ACM*, 35(6):75–84.
- Case, J. (1938). *The Strength of Materials*. Edward Arnold and Co., London, third edition.
- Catmull, E. and Clark, J. (1978). Recursively generated B-spline surfaces on arbitrary topological meshes. *Computer-aided Design*, 10(6):350–355.
- Celniker, G. and Gossard, D. (1991). Deformable curve and surface finite-elements for free-form shape design. *Computer Graphics (Proceedings SIGGRAPH'91)*, 25(4):257–266.
- Chen, J. X. and Lobo, N. V. (1995). Toward interactive-rate simulation of fluids with moving obstacles using navier-stokes equations. *Graphical Models and Image Processing*, 57(2):107–116.
- Chew, L. P. (1993). Guaranteed-quality mesh generation for curved surfaces. In *Proceedings of the ACM Symposium on Computational Geometry*, pages 274–280.
- Christy, R. W. and Pytte, A. (1965). *The Structure of Matter: An Introduction to Modern Physics*. W. A. Benjamin, New York.
- Coquillart, S. (1990). Extended free-form deformation: A sculpturing tool for 3D geometric modeling. *Computer Graphics (SIGGRAPH'90)*, 24(4):187–196.
- Crossno, P. and Angel, E. (1997). Isosurface extraction using particle systems. In *Proceedings of the conference on Visualization '97*.
- de Berg, M., van Kreveld, M., Overmars, M., and Schwarzkopf, O. (1997). *Computational Geometry Algorithms and Applications*. Springer-Verlag, Berlin.
- Desbrun, M. and Gascuel, M. (1995). Animating soft substances with implicit surfaces. *Computer Graphics (Proceedings SIGGRAPH'95)*, pages 287–290.
- Desbrun, M. and Gascuel, M. (1996). Smoothed particles: A new paradigm for animating highly deformable bodies. In *Eurographics Workshop on Animation and Simulation '96*.
- Doo, D. and Sabin, M. (1978). Behaviour of recursive division surfaces near extraordinary points. *Computer-aided Design*, 10(6):356–360.

- Dwyer, R. (1991). Higher-dimensional voronoi diagrams in linear expected time. *Discrete Computational Geometry*, pages 343–367.
- Edelsbrunner, H. and Mücke, E. P. (1994). Three-dimensional alpha shapes. *ACM Transactions on Graphics*, 13(1):43–72.
- Farin, G. E. (1992). *Curves and Surfaces for Computer Aided Geometric Design*. Academic Press, Boston, Massachusetts, 3rd edition.
- Fleischer, K., Laidlaw, D., Currin, D., and Barr, A. (1995). Cellular texture generation. *Computer Graphics (Proceedings SIGGRAPH'95)*, pages 239–248.
- Foley, J. D., Van Dam, A., Feiner, S. K., and Hughes, J. F. (1990). *Computer Graphics: Principles and Practice*. Addison-Wesley, 2nd edition.
- Forsey, D. R. and Bartels, R. H. (1988). Hierarchical b-spline refinement. *Computer Graphics (Proceedings SIGGRAPH'88)*, 22(4):205–212.
- Foster, N. and Metaxas, D. (1996). Realistic animation of liquids. In *Graphics Interface*, pages 204–212.
- Foster, N. and Metaxas, D. (1997a). Controlling fluid animation. In *Graphics Interface*, pages 178–188.
- Foster, N. and Metaxas, D. (1997b). Modeling the motion of a hot, turbulent gas. *Computer Graphics (Proceedings SIGGRAPH'97)*.
- Fournier, A. and Reeves, W. T. (1986). A simple model of ocean waves. *Computer Graphics (SIGGRAPH'86)*, 20(4):75–84.
- Franke, R. (1982). Scattered data interpolation: Tests of some methods. *Mathematics of Computation*, 38(157):181–200.
- Fua, P. and Sander, P. (1992). Reconstructing surfaces from unstructured 3d points. In *Second European Conference on Computer Vision (ECCV'92)*, pages 50–55, Sta. Margherita, Italy. Springer-Verlag.
- Gasson, P. C. (1983). *Geometry of Spatial Forms*. Ellis Horwood Limited.
- Glassner, A., editor (1993). *Graphic Gems I*. Academic Press.
- Goldstein, H. (1950). *Classical Mechanics*. Addison-Wesley Publishing Co.
- Goodman, J. and O'Rourke, J., editors (1997). *Handbook of Discrete and Computational Geometry*. CRC Press, New York.
- Goss, M. E. (1990). A real time particle system for display of ship wakes. *IEEE Computer Graphics and Applications*, 10(3):30–35.
- Gould, H. and Tobochnik, J. (1988). *An Introduction to Computer Simulation Methods*. Addison-Wesley, Reading Massachusetts.

- Gray, A. (1993). *Modern differential geometry of curves and surfaces*. CRC Press, Boca Raton, Florida.
- Greengard, L. (1988). *The Rapid Evaluation of Potential Fields in Particle Systems*. The MIT Press, Boston, Massachusetts.
- Greenspan, D. (1973). *Discrete Models*. Addison-Wesley, Reading, Massachusetts.
- Guo, B. and Menon, J. (1996). Local shape control of free-form solids in exact csg representation. *Computer-Aided Design*, 28(6-7):483–493.
- Guo, B., Menon, J., and Willette, B. (1997). Surface reconstruction using alpha shapes. *Computer Graphics Forum*, 16(4):177–190.
- Haber, R. B. and McNabb, D. A. (1990). Visualization idioms: A conceptual model for scientific visualization systems. In *Visualization in Scientific Computing*, pages 74–93. IEEE Computer Society Press.
- Hall, M. and Warren, J. (1990). Adaptive polygonalization of implicitly defined surfaces. *IEEE Computer Graphics and Applications*, 10(6):33–42.
- Haumann, D., Wejchert, J., Arya, K., Bacon, B., Khorasani, A., Norton, A., and Sweeney, P. (1991). An application of motion design and control for physically-based animation. In *Proceedings of Graphics Interface '91*, pages 279–286.
- Hay, G. E. (1953). *Vector and Tensor Analysis*. Dover Publications, Inc.
- Heggie, C. (1987). The n-body problem in stellar dynamics. In Roy, A. E., editor, *NATA Advanced Studies Institute: a long-term Dynamical Behaviour of Natural and Artificial N-Body Systems*, pages 329–347. Kluwer Academic Publishers, Boston.
- Heyes, D. M. (1998). *The liquid state: applications of molecular simulations*. John Wiley and Sons Ltd.
- Hibbard, W. and Santek, D. (1989). Interactivity is the key. In *Chapel Hill Workshop on Volume Visualization, Conference Proceedings*, pages 39–43, Chapel Hill, North Carolina.
- Higgins, W. E., Chung, N., and Ritman, E. L. (1990). Extraction of left-ventricular chamber from 3-D CT images of the heart. *IEEE Transactions on Medical Imaging*, 9(4).
- Hockney, R. W. and Eastwood, J. W. (1981). *Computer Simulation using Particles*. McGraw-Hill Inc., New York.
- Hockney, R. W. and Eastwood, J. W. (1988). *Computer Simulation using Particles*. McGraw-Hill Inc., New York.

- Hoffman, C. M. (1989). *Geometric and Solid Modeling*. Morgan Kaufmann Publishers.
- Hoffmann, B. (1966). *About Vectors*. Dover Publications, New York.
- Hoppe, H., DeRose, T., Duchamp, T., McDonald, J., and Stuetzle, W. (1992). Surface reconstruction from unorganized points. *Computer Graphics (Proceedings SIGGRAPH'92)*, 26(2):71–78.
- Houwink, R. and de Decker, H. K., editors (1971). *Elasticity, Plasticity, & Structure of Matter*. Cambridge University Press, 3rd edition.
- Hsu, W. M., Hughes, J. F., and Kaufman, H. (1992). Direct manipulation of free-form deformations. *Computer Graphics (Proceedings SIGGRAPH '92)*, 26(2):177–184.
- Jaeger, J. C. (1969). *Elasticity, Fracture and Flow*. Butler and Tanner Ltd, London, 3rd edition.
- Kass, M. and Miller, G. (1990). Rapid, stable fluid dynamics for computer graphics. *Computer Graphics (SIGGRAPH'90)*, 24(4):49–55.
- Kass, M., Witkin, A., and Terzopoulos, D. (1987). Snakes: Active contour models. *International Journal of Computer Vision*, 1(4):321–331.
- Koenderink, J. J. (1990). *Solid Shape*. MIT Press, Cambridge, MA.
- Kreyszig, E. (1959). *Differential Geometry*. University of Toronto Press.
- Lawson, C. L. (1977). Software for C^1 surface interpolation. In *Mathematical Software III (Proceedings of the Symposium on Mathematical Software '77, Madison, Wisconsin)*, pages 161–194.
- Lee, Y., Terzopoulos, D., and Waters, K. (1995). Realistic modeling for facial animation. *Computer Graphics (Proceedings SIGGRAPH'95)*, pages 55–62.
- Lombardo, J. and Puech, C. (1995). Oriented particles: A tool for shape memory objects modelling. In *Graphics Interface*, pages 255–262.
- Loop, C. (1994). A G^1 triangular spline surface of arbitrary topological type. *Computer Aided Geometric Design*, 11(3):303–330.
- Loop, C. and DeRose, T. (1990). Generalized B-spline surfaces of arbitrary topology. *Computer Graphics (SIGGRAPH'90)*, 24(4):347–356.
- Loop, C. T. (1987). Smooth subdivision surfaces based on triangles. Master's thesis, University of Utah.
- Lord, E. A. and Wilson, C. B. (1984). *The Mathematical Description of Shape and Form*. Ellis Horwood Ltd.

- Lorensen, W. and Cline, H. (1987). Marching cubes: A high resolution 3-D surface construction algorithm. *Computer Graphics (SIGGRAPH'87)*, 21(4):163–169.
- Madsen, K. H. (1994). A guide to metaphorical design. *Communications of the ACM*, 37(12):57–62.
- Marion, J. B. (1970). *Classical Dynamics of Particles and Systems*. Academic Press, 2nd edition.
- McInerney, T. and Terzopoulos, D. (1993). A finite element model for 3D shape reconstruction and nonrigid motion tracking. In *Fourth International Conference on Computer Vision (ICCV'93)*, pages 518–523. IEEE Computer Society Press.
- McInerney, T. and Terzopoulos, D. (1996). Deformable models in medical image analysis: A survey. *Medical Image Analysis*, 1(2):91–108.
- McInerney, T. and Terzopoulos, D. (1997). Medical image segmentation using topologically adaptable surfaces. In *Proceedings of CVRMed*, page unknown.
- Meier, B. (1996). Painterly rendering for animation. *Computer Graphics (SIGGRAPH'96)*, pages 477–484.
- Miller, G. and Pearce, A. (1989). Globular dynamics: A connected particle system for animating viscous fluids. In *SIGGRAPH '89, Course 30 notes: Topics in Physically-based Modeling*, pages R1 – R23. SIGGRAPH.
- Miller, G. S. P. (1988). The motion dynamics of snakes and worms. *Computer Graphics (Proceedings SIGGRAPH'88)*, 22(4):169–178.
- Miller, J., Breen, D., Lorensen, W., O'Bara, R., and Wozny, M. (1991). Geometrically deformed models: A method for extracting closed geometric models from volume data. *Computer Graphics (SIGGRAPH'91)*, 25(4):217–226.
- Miner, D. F. and Seastone, J. B., editors (1955). *Handbook of Engineering Materials*. John Wiley and Sons.
- Monaghan, J. J. (1982). Why particle methods work. *SIAM J. Sci. Stat. Computing*, 3(4):422–433.
- Monaghan, J. J. (1985). Particle methods for hydrodynamics. *Computer Physics Reports*, 3(2):71–124.
- Monaghan, J. J. (1988). An introduction to SPH. *Computer Physics Communications*, 48(1):543–574.
- Monaghan, J. J. (1992). Smoothed particle hydrodynamics. *Annu. Rev. Astron. Astrophys.*, 30:543–574.

- Monaghan, J. J., Thompson, M. C., and Hourigan, K. (1994). Simulation of free surface flows with SPH. ASME Symposium on Computational Methods in Fluid Dynamics. <http://www-personal.monash.edu.au/mecheng/mct/docs/sph/sph.html> (Mar. 1998).
- Monga, O., Deriche, R., Maladin, G., and Cocquerez, J. P. (1990). Recursive filtering and edge closing: two primary tools for 3D edge detection. In *First European Conference on Computer Vision (ECCV'90)*, pages 56–65, Antibes, France. Springer-Verlag.
- Moreton, H. P. and Séquin, C. H. (1992). Functional optimization for fair surface design. *Computer Graphics (SIGGRAPH'92)*, 26(2):167–176.
- Mould, D. and Yang, Y.-H. (1997). Modeling water for computer graphics. *Computer and Graphics*, 21(6):801–814.
- Nevatia, R. and Binford, T. O. (1977). Description and recognition of curved objects. *Artificial Intelligence*, 8:77–98.
- Ney, D., Fishman, E. K., and Magid, D. (1990). Three dimensional imaging of computed tomography: Techniques and applications. In *First Conference on Visualization in Biomedical Computing (VBC'90)*, pages 498–506, Los Alamitos, California. IEEE Computer Society Press.
- O'Brien, J. F. and Hodgins, J. K. (1994). Dynamic simulation of splashing fluids. Technical Report GIT-GVU-94-32, Georgia Institute of Technology.
- O'Brien, J. F. and Hodgins, J. K. (1995). Dynamic simulation of splashing fluids. In *Proceedings of Computer Animation '95*, pages 198–205. Geneva Switzerland, April 19-21.
- Overmars, M. H. (1983). *The Design of Dynamic Data Structures*. Lecture Notes in Computer Science #156. Springer-Verlag.
- Peachy, D. R. (1986). Modeling waves and surf. *Computer Graphics (SIGGRAPH'86)*, 20(4):65–74.
- Pentland, A. P. (1986). Perceptual organization and the representation of natural form. *Artificial Intelligence*, 28(3):293–331.
- Peters, J. and Reif, U. (1997). The simplest subdivision scheme for smoothing polyhedra. *ACM Transactions on Graphics*, 16(4):420–431.
- Preparata, F. P. and Shamos, M. (1985). *Computational Geometry - An Introduction*. Springer-Verlag, New York, NY.
- Press, W. H., Flannery, B. P., Teukolsky, S. A., and Vetterling, W. T. (1988). *Numerical Recipes in C: The Art of Scientific Computing*. Cambridge University Press, Cambridge, England.

- Press, W. H., Flannery, B. P., Teukolsky, S. A., and Vetterling, W. T. (1992). *Numerical Recipes in C: The Art of Scientific Computing*. Cambridge University Press, Cambridge, England, second edition.
- Qin, H. and Terzopoulos, D. (1996). D-nurbs: A physics-based framework for geometric design. *IEEE Transactions on Visualization and Computer Graphics*, 2(1):85–96.
- Reeves, W. T. (1983a). Particle systems — a technique for modeling a class of fuzzy objects. *Computer Graphics*, 17(3):359–376.
- Reeves, W. T. (1983b). Particle systems—A technique for modeling a class of fuzzy objects. *ACM Transactions on Graphics*, 2(2):91–108.
- Reeves, W. T. and Blau, R. (1985). Approximate and probabilistic algorithms for shading and rendering structured particle systems. *Computer Graphics*, 19(3):313–322.
- Reynolds, C. W. (1987). Flocks, herds, and schools: A distributed behavioral model. *Computer Graphics (SIGGRAPH'87)*, 21(4):25–34.
- Reynolds, H. (1997). An alternative inter-particle force model for coupled system flexible body dynamics. In *Proceedings of Eurographics Workshop in Budapest, Hungary '97*, pages 99–110.
- Rippa, S. (1990). Minimal roughness property of the delauney triangulation. *Computer Aided Geometric Design*, 7(6):489–497.
- Roy, T. M. (1995). Physically based fluid model using smoothed particle hydrodynamics. Master's thesis, University of Illinois at Chicago.
- Sachs, E., Roberts, A., and Stoops, D. (1991). 3-Draw: A tool for designing 3D shapes. *IEEE Computer Graphics and Applications*, 11(6):18–26.
- Samet, H. (1989). *The Design and Analysis of Spatial Data Structures*. Addison-Wesley, Reading, Massachusetts.
- Sander, P. and Zucker, W. (1990). Inferring surface trace and differential structure from 3-D images. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 12(9):833–854.
- Sederberg, T. W. and Parry, S. R. (1986). Free-form deformation of solid geometric models. *Computer Graphics (SIGGRAPH'86)*, 20(4):151–160.
- Shoemake, K. (1985). Animating rotation with quaternion curves. *Computer Graphics (SIGGRAPH'85)*, 19(3):245–254.
- Shoemake, K. (1989). Quaternion calculus for animation. In *SIGGRAPH '89, Course notes #23: Math for SIGGRAPH*, pages 187 – 205. SIGGRAPH.

- Shoemake, K. (1991). Quaternions and 4x4 matrices. In *Graphic Gems II*, chapter VII.6, pages 351–354. Academic Press.
- Sims, K. (1988). Particle dreams. In *SIGGRAPH Video Review*, New York. ACM SIGGRAPH.
- Sims, K. (1989). Particle animation and rendering using data parallel computation. In *SIGGRAPH '89, Course 30 notes: Topics in Physically-based Modeling*, pages T1–R15, New York. SIGGRAPH.
- Sims, K. (1990). Particle animation and rendering using data parallel computation. *Computer Graphics (SIGGRAPH'90)*, 24(4):405–413.
- Sims, K. (1992). Choreographed image flow. *The Journal Of Visualization And Computer Animation*, 3:31–43.
- Solina, F. and Bajcsy, R. (1990). Recovery of parametric models from range images: The case for superquadrics with global deformations. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 12(2):131–147.
- Stam, J. (1995). *Multi-Scale Stochastic Modelling of Complex Natural Phenomena*. PhD thesis, Dept. of Computer Science, University of Toronto.
- Stam, J. and Fiume, E. (1993). Turbulent wind fields for gaseous phenomena. *Computer Graphics (Proceedings of SIGGRAPH'93)*, pages 369–376.
- Stam, J. and Fiume, E. (1995). Depiction of fire and other gaseous phenomena using diffusion processes. *Computer Graphics (Proceedings of SIGGRAPH'95)*, pages 129–136.
- Stytz, M. R., Frieder, G., and Frieder, O. (1991). Three-dimensional medical imaging: Algorithms and computer systems. *ACM Computing Surveys*, 23(4):421–499.
- Szeliski, R. (1990). Fast surface interpolation using hierarchical basis functions. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 12(6):513–528.
- Szeliski, R. (1991). Shape from rotation. In *IEEE Computer Society Conference on Computer Vision and Pattern Recognition (CVPR'91)*, pages 625–630, Maui, Hawaii. IEEE Computer Society Press.
- Szeliski, R. (1993). Rapid octree construction from image sequences. *CVGIP: Image Understanding*, 58(1):23–32.
- Szeliski, R. (1998). Private communication. May 1998.
- Szeliski, R. and Tonnesen, D. (1992). Surface modeling with oriented particles. *Computer Graphics (SIGGRAPH'92)*, 26(2):185–194.

- Szeliski, R., Tonnesen, D., and Terzopoulos, D. (1993a). Curvature and continuity control in particle-based surface models. In *SPIE Vol. 2031 Geometric Methods in Computer Vision II*, pages 172–181, San Diego. Society of Photo-Optical Instrumentation Engineers.
- Szeliski, R., Tonnesen, D., and Terzopoulos, D. (1993b). Modeling surfaces of arbitrary topology with dynamic particles. In *IEEE Computer Society Conference on Computer Vision and Pattern Recognition (CVPR'93)*, pages 82–87, New York, New York.
- Temperley, H. N. V. (1978). *Liquids and their properties*. Ellis Horwood Limited, Chichester, England.
- Terzopoulos, D. (1984). *Multiresolution Computation of Visible-Surface Representations*. PhD thesis, Dept. of Electrical Engineering and Computer Science, Massachusetts Institute of Technology, Cambridge, MA, USA.
- Terzopoulos, D. (1986). Image analysis using multigrid relaxation methods. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 8(2):129–139.
- Terzopoulos, D. (1988). The computation of visible-surface representations. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 10(4):417–438.
- Terzopoulos, D. and Fleischer, K. (1988a). Deformable models. *The Visual Computer*, 4(6):306–331.
- Terzopoulos, D. and Fleischer, K. (1988b). Modeling inelastic deformations: Visoelasticity, plasticity, fracture. *Computer Graphics (SIGGRAPH'88)*, 22(4):269–278.
- Terzopoulos, D. and Metaxas, D. (1991). Dynamic 3D models with local and global deformations: Deformable superquadrics. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 13(7):703–714.
- Terzopoulos, D., Platt, J., Barr, A., and Fleischer, K. (1987). Elastically deformable models. *Computer Graphics (SIGGRAPH'87)*, 21(4):205–214.
- Terzopoulos, D., Platt, J., and Fleischer, K. (1989). Heating and melting deformable models (from goop to glob). In *Proceedings Graphics Interface*, pages 219–226. Graphics Interface.
- Terzopoulos, D. and Qin, H. (1994). Dynamic nurbs with geometric constraints for interactive sculpting. *ACM Transactions on Graphics*, 13(2):103–136. Special Issue on Interactive Sculpting.
- Terzopoulos, D., Witkin, A., and Kass, M. (1987). Symmetry-seeking models and 3D object reconstruction. *International Journal of Computer Vision*, 1(3):211–221.
- Terzopoulos, D., Witkin, A., and Kass, M. (1988). Constraints on deformable models: Recovering 3D shape and nonrigid motion. *Artificial Intelligence*, 36(1):91–123.

- Tonnesen, D. (1989). Ray-tracing implicit surfaces resulting from the summation of bounded polynomial functions. Technical Report TR-89003, Rensselaer Design Research Center, Rensselaer Polytechnic Institute, Troy, New York.
- Tonnesen, D. (1991). Modeling liquids and solids using thermal particles. In *Proceedings Graphics Interface '91*, pages 255–262.
- Trevena, D. H. (1975). *The liquid phase*. Wykeham Publications, London, England.
- Tu, X. and Terzopoulos, D. (1994). Artificial fishes: Physics, locomotion, perception, behavior. *Computer Graphics (Proceedings SIGGRAPH'94)*, 28(3):43–50.
- Turk, G. (1992). Re-tiling polygonal surfaces. *Computer Graphics (Proceedings SIGGRAPH'92)*, 26(2):55–64.
- Vasilescu, M. and Terzopoulos, D. (1992). Adaptive meshes and shells: Irregular triangulation, discontinuities, and hierarchical subdivision. In *Computer Vision and Pattern Recognition Conference (CVPR-92)*, pages 829–832, Champaign, IL. IEEE Computer Society Press.
- Velho, L. (1990). Adaptive polygonization of implicit surfaces using simplicial decomposition and boundary constraints. In *Proceedings of Eurographics '90*, pages 125–136.
- Vitasek, E. (1969). *Survey of Applicable Mathematics*, chapter 27: Solution of Partial Differential Equations by the Finite-Difference Method. MIT Press.
- Waters, K. and Terzopoulos, D. (1990). A physical model of facial tissue and muscle articulation. In *First Conference on Visualization in Biomedical Computing (VBC'90)*, pages 77–82, Los Alamitos, California. IEEE Computer Society Press.
- Welch, W. and Witkin, A. (1992). Variational surface modeling. *Computer Graphics (Proceedings SIGGRAPH'92)*, 26(2):157–166.
- Welch, W. and Witkin, A. (1994). Free-form shape design using triangulated surfaces. *Computer Graphics (Proceedings SIGGRAPH'94)*, 28(3):247–256.
- Witkin, A. P. and Heckbert, P. S. (1994). Using particles to sample and control implicit surfaces. *Computer Graphics (Proceedings SIGGRAPH'94)*, 28(3):269–277.
- Wolfe Jr., R. H. and Liu, C. N. (1988). Interactive visualization of 3D seismic data: A volumetric method. *IEEE Computer Graphics and Applications*, 8(4):24–30.
- Wolfram, S. (1988). *Mathematica: A System for Doing Mathematics by Computer*. Addison-Wesley, Redwood City, California.
- Wyvill, B., McPheeters, C., and Wyvill, G. (1986a). Animating soft objects. *The Visual Computer*, 2:235–242.

- Wyvill, B., McPheeters, C., and Wyvill, G. (1986b). Data structures for soft objects. *The Visual Computer*, 2:227–234.
- Wyvill, G. and Trotman, A. (1989). Ray-tracing soft objects. *Proceedings of Graphics Interface 1989*, pages 469–476.
- Zhai, S., Buxton, W., and Milgram, P. (1994). The “silk cursor”: Investigating transparency for 3D target acquisition. In *Proceedings of ACM CHI’94 on Human Factors in Computing Systems*, pages 459–464.
- Zhao, F. (1987). An $O(N)$ algorithm for three-dimensional N-body simulations. Master’s thesis, MIT Department of Electrical Engineering and Computer Science, Cambridge, Massachusetts. Also MIT Artificial Intelligence Laboratory technical report number AI-TR-995.
- Zorin, D., Schröder, P., and Sweldens, W. (1996). Interpolating subdivision for meshes with arbitrary topology. *Computer Graphics (Proceedings SIGGRAPH’96)*, pages 189–192.
- Zwillinger, D., editor (1995). *CRC Standard Mathematical Tables and Formulas*. CRC Press, Inc., Boca Raton, Florida, 29th edition.